





(Continued on next page...)



(Continued on next page...)



WHAT YOU'LL NEED: Scissors, glue (or a glue stick), a ruler, a scoring tool (see below) and a black marker.

FOLDING TIP: This project has many small parts, so it's helpful to 'score' the fold lines before folding. You can use an old ink pen, a knitting needle, the end of a paper clip, or any metal object that will crease the paper without tearing it. (I use a pointy little tool from a manicure kit.) Scoring will help you fold much more quickly and precisely.

BASE ASSEMBLY:

Cut out BASE 1A on Parts Page 1 and BASE 1B on Parts Page 2. Glue the three light gray BASE 1A tabs to the unprinted side of BASE 1B, as shown in Figure 1.

(Continued on next page...)

RAVENSBLIGHT CEMETERY Assembly Instructions - Page 4.

Fold the four brick panels DOWNWARD and fold the four dark gray tabs DOWNWARD. Glue the tabs to the unprinted side of the adjacent brick panels, as shown in Figure 2.

Cut out BASE 2A and BASE 2B (on Parts Pages 3 and 4) and assemble in the same manner as above. Then do the same for BASE 3A, BASE 3B, BASE 4A and BASE 4B (on parts pages 5-8).

Position the base pieces as shown in Figure 3. Be sure the corners with light gray dots are towards the BACK of the model. Glue the back of BASE 2 to the front of BASE 1. Then add BASE 3 and BASE 4 in the same manner.

TOMB ASSEMBLY:

Cut out TOMB 1 on Parts Page 9. Fold all eight gray tabs DOWNWARD. Fold the two base tabs UPWARD, folding where shown in yellow in Figure 4. Then fold DOWNWARD along the six lines indicated in green in Figure 4.

Glue the roof tab (with a yellow dot) to the unprinted side of the opposite roof panel. Glue the four triangular tabs to the unprinted side of the adjacent roof panels. Glue the tab with a green dot to the adjacent wall panel. Then glue the two tabs with red dots to the unprinted side of the ceiling panel (with two black squares). The tomb should now resemble Figure 5.

Cut out the FRONT piece on Parts Page 9. Fold both side panels DOWNWARD where shown in green in Figure 6. Glue the side panels of the FRONT piece directly over the matching areas on the sides of the TOMB, as shown in Figure 7.

Cut out the two POST pieces on Parts Page 9. For each POST: Fold the two small square tabs UPWARD and then fold the gray tab DOWNWARD. Fold DOWNWARD between the four remaining panels. Glue the gray tab to the unprinted side of the opposite panel.

Connect the POSTS to the TOMB by gluing the POST tabs directly over the black squares on the ceiling panel, as shown in Figure 8.

Figure 36 shows the location of each TOMB in red numbers. Connect TOMB 1 to BASE1, gluing the tomb's base tabs and post tabs to the black areas on the base, as shown in Figure 9.

Repeat this process for TOMB 2, TOMB 3 and TOMB 4 (on Parts Pages 10-12).

TOMB 5 has a flat roof, and will be assembled a bit differently. Fold all six gray tabs DOWNWARD. Fold the two base tabs UPWARD. Fold the roof panel DOWNWARD, fold the ceiling panel DOWNWARD, and then fold DOWNWARD between the four side panels.

Glue the two tabs with yellow dots to the adjacent side panels. Now glue the large gray tab to the adjacent side panel. Glue the tab with a green dot to the adjacent side panel and then glue the two tabs with red dots to the ceiling panel.

Cut out the FRONT piece on Parts Page 13, fold as before and add it to TOMB 5. Then cut out the two POST pieces on Parts Page 13. For each POST: fold DOWNWARD between all four panels and fold the gray tab DOWNWARD. Glue the gray tab to the back of the opposite panel.

Glue the two POSTS directly over the gray areas on the front of TOMB 5. Then glue the tomb's base tabs to the BASE as shown in Figure 10.

TREE ASSEMBLY:

Cut out the TREE Top and the TREE Bottom on Parts Page 14, cutting around the base panels and along the outer black rectangles on each piece (don't separate the two sides). For each piece: fold the base panel UPWARD and then fold DOWNWARD between the two sides, folding along the green line. Glue the two sides together. Then cut out the tree, remove the white slot, and trim as needed (by cutting or by darkening any white paper with the black marker).

Slide the TREE Top down over the TREE Bottom and glue the TREE base panels directly over the black areas on the left of the BASE, as shown in Figure 11.

Now cut out the TREE Top and TREE Bottom on Parts Page 15, assemble as before, and glue to the black areas on the right side of the BASE.

(Continued on next page...)

RAVENSBLIGHT CEMETERY Assembly Instructions - Page 5.

VAULT ASSEMBLY:

Figure 36 shows the location of each VAULT in green numbers. Cut out VAULT 1 on Parts Page 16. Fold the two base tabs UPWARD, folding where shown in yellow in Figure 12. Then fold all four gray tabs DOWNWARD and fold all four side panels DOWNWARD, folding where shown in green in Figure 12. Glue the gray tabs to the unprinted side of the adjoining side panels.

Glue the VAULT 1 base tabs to the light gray areas on BASE 2, as shown in Figure 13.

Cut out VAULT 2, VAULT 3 and VAULT 4 (on Parts Page 16) as well as VAULT 5 on Parts Page 17. Assemble these vaults in the same manner as before, and glue them to the appropriate spaces on BASE 2.

VAULT 6 has two parts, a vault and a base. Begin by cutting out VAULT 6B on Parts Page 17. Fold the two base tabs (with a grassy texture) UPWARD. Then fold the four gray tabs and the four side panels all DOWNWARD. Glue the gray tabs to the adjacent side panels and then position VAULT 6B over the blank stone area on BASE 2 and glue the two base tabs down, as shown in Figure 14.

Then cut out VAULT 6A on Parts Page 17, assemble in the same manner as the previous vaults, and glue the two base tabs on VAULT 6A to the top of VAULT 6B, as shown in Figure 15.

Now cut out VAULT 7 on Parts Page 17, assemble in the same manner as the previous vaults, and then glue VAULT 7's base tabs to BASE 3 (where indicated in Figure 36).

OBELISK ASSEMBLY:

Obelisk 1 and 3 will have bases, while Obelisk 2 will mount directly to BASE 2. Figure 36 shows the location of each Obelisk in yellow numbers. Begin by cutting out Obelisk 1B on Parts Page 18. Assemble in the same manner as VAULT 6B, and then position Obelisk 1B directly over the stone square on the left of BASE 2, and glue in place.

Cut out OBELISK 1A on Parts Page 18. Fold the two base tabs UPWARD and fold the four black triangles DOWNWARD. Then fold the gray tab DOWNWARD and fold DOWNWARD between all four stone panels. Glue the gray tab to the unprinted side of the opposite panel, as shown in Figure 16.

Cut out an OBELISK TOP on Parts Page 18 and fold DOWNWARD between all five panels. Glue the gray panel to the unprinted side of the opposite panel, and then glue the OBELISK TOP to the black triangles on the top of OBELISK 1A, as shown in Figure 17.

Place OBELISK 1A over OBELISK 1B and glue in position, as shown in Figure 18.

Assemble OBELISK 2 in the same manner as OBELISK 1A, add an OBELISK TOP, and then glue OBELISK 2 to the stone square on the right side of BASE 2, as shown in Figure 19.

Assemble OBELISK 3B and OBELISK 3A in the same manner as OBELISK 1B and OBELISK 1A. Glue OBELISK 3B to the square stone on BASE 3 and then glue OBELISK 3A to OBELISK 3B.

SLAB ASSEMBLY:

Figure 36 shows the location of each slab in blue numbers. Cut out SLAB 1 on Parts Page 19. Assemble in the same manner as the vaults. Glue SLAB 1 to BASE 3, as shown in Figure 20. Then cut out and assemble SLAB 2, SLAB 3 and SLAB 4A. Glue these slabs to BASE 3 and BASE 4 where indicated in Figure 36.

Since SLAB 4A is only a stone border, we'll add a headstone to make it look fancier. Cut out SLAB 4B on Parts Page 19. Fold along the center line and glue the two sides together. Trim as needed and then glue SLAB 4B to SLAB 4A as shown in Figure 21.

HEADSTONE ASSEMBLY:

Figure 36 shows the location of each headstone in white numbers. Cut out HEASTONE 1 on Parts Page 20. Separate the two base tabs by cutting where shown in red in Figure 22. Fold the two base tabs UPWARD (where shown in yellow in Figure 22). Then fold DOWNWARD between the two headstone panels (where shown in green in Figure 22). Glue the two headstone panels (but not the base tabs) together and trim as needed. The headstone should now resemble Figure 23. Glue the headstone to BASE 3 as shown in Figure 24.

Repeat this process for all 24 headstones. Parts Page 20 also includes 6 optional headstones and bases, which you can add wherever you wish.

(Continued on next page...)

RAVENSBLIGHT CEMETERY Assembly Instructions - Page 6.

FENCE POST ASSEMBLY:

Cut out the LEFT GATE POST on Parts Page 21. DO NOT fold the bottom tab. Fold the four black triangles DOWNWARD, fold the gray tab DOWNWARD, and then fold DOWNWARD between all four brick panels. Glue the gray tab to the unprinted side of the opposite brick panel.

Cut out a STONE SPIKE from Parts Page 19. Fold the gray tab DOWNWARD and then fold DOWNWARD between all four stone panels. Glue the gray tab to the unprinted side of the opposite stone panel. Place the STONE SPIKE over the black triangles on the LEFT GATE POST and glue the spike in place, as shown in Figure 25.

Position the LEFT GATE POST directly over the square with a GREEN dot on the left of BASE 4, as shown in Figure 26. Glue the bottom post tab to the FRONT panel of BASE 4.

Cut out the RIGHT GATE POST on Parts Page 21 and another of the STONE SPIKES from Parts Page 19. Assemble in the same manner as before, and then position the RIGHT GATE POST over the square with a GREEN dot on the right of BASE 4. Glue the bottom post tab to the FRONT panel of BASE 4.

Next, cut out the LEFT FRONT POST on Parts Page 22 and another STONE SPIKE from Parts Page 19. Assemble as before and then position the LEFT FRONT POST over the square with a YELLOW dot on the left of BASE 4. Glue the bottom post tab to the FRONT panel of BASE 4.

Cut out the RIGHT FRONT POST on Parts Page 22 and the remaining STONE SPIKE on Parts Page 19. Assemble as before and then position the RIGHT FRONT POST over the square with a YELLOW dot on the right of BASE 4. Glue the bottom post tab to the FRONT panel of BASE 4.

Now cut out one of the RIGHT POST pieces on Parts Page 22 and a STONE SPIKE from Parts Page 21. Assemble as before and then position the RIGHT POST over the square with a red dot on the right side of BASE 4. Glue the bottom post tab to the SIDE panel of BASE 4, as shown in Figure 27.

Cut out the remaining three RIGHT POST pieces on Parts Page 22 and the RIGHT POST on Parts Page 23. Also cut out five STONE STIKES from Parts Page 21. Assemble as before and then glue a RIGHT POST over each of the light gray dots on the right side of the cemetery.

Cut out the five LEFT POST pieces on Parts Page 23, and cut out the remaining five STONE SPIKES on Parts Page 21. Assemble as before, and then glue a LEFT POST over the remaining square with a red dot, and over the four squares with light gray dots on the left of the cemetery. (Set aside the optional POST BRACES on Parts Page 23 for later.)

FENCE ASSEMBLY:

We'll start with the back fence. Cut out BACK FENCE A and BACK FENCE B on Parts Page 26. Glue the gray tab on BACK FENCE A to the unprinted side of BACK FENCE B to form a single piece with a brick panel on either end, as shown in Figure 28.

Fold DOWNWARD between the two fence panels and glue them together. Trim as needed. Place the BACK FENCE in position as shown in Figure 29. Glue the BACK FENCE to the back of the tombs, and glue the BACK FENCE brick panels to the brick corner posts.

Now cut out the LEFT ARCH on Parts Page 24. Fold the two brick panels UPWARD. Fold DOWNWARD between the two fence panels and glue them together. Trim as needed. The piece should now resemble Figure 30.

Place the LEFT ARCH between the LEFT GATE POST and the LEFT FRONT POST, as shown in Figure 31. Glue the LEFT ARCH brick panels to the sides of the brick posts.

Cut out the RIGHT ARCH on Parts Page 24. Fold and assemble in the same manner as the LEFT ARCH. Place the RIGHT ARCH between the RIGHT GATE POST and RIGHT FRONT POST. Glue the RIGHT ARCH brick panels to the sides of the brick posts.

Next, cut out one of the FRONT FENCE pieces on Parts Page 24. Fold the two brick panels UPWARD. Fold DOWNWARD between the two fence panels and glue them together. Trim as needed. (NOTE: all remaining fence pieces will be assembled in this manner.)

Place the FRONT FENCE piece between the LEFT FRONT POST and the left corner post. Glue in place, as shown in Figure 32.

(Continued on next page...)

RAVENSBLIGHT CEMETERY Assembly Instructions - Page 7.

Cut out, fold and assemble the remaining FRONT FENCE piece on Parts Page 24. Place between the RIGHT FRONT POST and the right corner post. Glue in place.

Now cut out, fold and assemble the two SIDE FENCE pieces on Parts Page 24. Place one SIDE FENCE piece on either side of BASE 4, as shown in Figure 33, and glue in place.

Cut out, fold and assemble the six FENCE SECTIONS on Parts Page 25. Glue one FENCE SECTION between each of the remaining posts to finish the cemetery fence.

The fence posts should stay upright, but if they lean you can add POST BRACES to help keep them upright. For any leaning posts (except the corner posts), cut out a POST BRACE from Parts Page 23, fold upward along the center line, glue the brick POST BRACE panel to the bottom of the fence post (on the side facing inwards towards the graves), and then glue the grassy POST BRACE panel to the cemetery base.

SIGN AND GATE ASSEMBLY:

Cut out the ENTRANCE SIGN on Parts Page 26. Fold the two stone tabs UPWARD. Cut out the SIGN BACK and glue it to the unprinted side of the sign. Trim as needed. Place the ENTRANCE SIGN in position at the top of the GATE POSTS as shown in Figure 34. Glue the sign's brick tabs to the posts.

Now cut out the LEFT GATE and RIGHT GATE on Parts Page 26. For each piece: fold the brick panel UPWARD and then fold DOWNWARD between the two sides of the gate and glue the two sides together. Position the gates as shown in Figure 35 and glue the brick gate panels to the gate posts.

And that's everything. Your model cemetery is now finished!

